



Elo Touch Solutions, Inc.
 670 N. McCarthy Blvd., Suite 100
 Milpitas, CA 95035
 www.elotouch.com

SPECIFICATIONS
Touchcomputer
EloPOS Rev A

DOCUMENT: PS600353
 REV: H
 REV DATE: November 2,
 2020
 Page 0 of 8

TITLE: PRODUCT SPECIFICATIONS, EloPOS REV A

NUMBER:

REVISION: H

OWNER: Engineering

Change History

Rev	Author	Date	Description
1	Chunying Huang	Nov 2, 2018	- Initial draft
2	Chunying Huang	Dec 12, 2018	- Add dimensions, weight and power consumption info
3	Chunying Huang	Dec 28, 2018	- Add optionals stand, mount kits
4	Chunying Huang	Jan 7, 2019	- Update SKU description - Add Elo warranty P/N's - Update wording Z-Series to EloPOS
5	Chunying Huang	March 13, 2019	- Remove NFC/RFID kit
A	Chunying Huang	April 3, 2019	- Initial release CO-19-0604
B	Chunying Huang	June 4, 2019	Revise per CO-19-1015 - Correct storage form factor from 2.5" to M.2 - Update warranty coverage part numbers
C	Chunying Huang	June 18, 2019	Revise per CO-19-1372 - Add Brazil ANATEL certificate - Update required mount kit for 1002 and 1302 customer facing display - Update USB-C cable description to make it more clear - Add 6ft USB-C cable P/N for 1302
D	Chunying Huang	Jan. 16, 2020	Revise per CO-20-0186 - Update upgrade option list - Remove optional product coverage section - Remove Dallas Key kit - Add 15.6" FHD, 21.5" FHD and 15" 4:3 SKUs



Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100
Milpitas, CA 95035
www.elotouch.com

SPECIFICATIONS

Touchcomputer

EloPOS Rev A

DOCUMENT: PS600353
REV: H
REV DATE: November 2,
2020
Page 1 of 8

E	Chunying Huang	03/23/2020	Revise per CO-20-0446 - Update description for supported OS list - Update optional memory and SSD kit P/N's
F	Chunying Huang	5/15/2020	Revise per CO-20-0746 - Add status light kit support
G	Chunying Huang	7/23/2020	Revise per CO-20-1183 - Add new EloPOS SKUs - Update 10" 2 nd display monitor to Type-C models - Add new storage options
H	Chunying Huang		Revise per CO-20- - Add 17" EloPOS specs



Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100
Milpitas, CA 95035
www.elotouch.com

SPECIFICATIONS

Touchcomputer EloPOS Rev A

DOCUMENT: PS600353
REV: H
REV DATE: November 2,
2020
Page 2 of 8

Model	EPSxxE2/S2/H2 Model	EPSxxE3/S3/H3 Model	EPSxxE5/S5/H5 Model	
Enclosure Color	Black			
Active Display Area (W x H)	15.6" HD & Full HD: 13.55" x 7.62" (344.2mm x 193.5mm) 21.5" SKUs: 18.74" x 10.54" (476.1mm x 267.8mm) 15" (4:3): 11.97" x 8.98" (304.1mm x 228.1mm) 17" (5:4): 13.3" x 10.64" (337.9mm x 270.3mm)			
Maximum Touchcomputer Dimensions With Stand (W x H x D)	15.6" HD & Full HD: 15.2" x 14.54" x 8.71" (386.2mm x 369.3mm x 221.2mm) 22": 16.4" x 20.7" x 10.15" (416.4 mm x 525.9mm x 257.8mm) 15" (4:3): 14.16" x 15.37" x 8.71" (359.7mm x 390.4mm x 221.3mm) 17" (5:4): 15.49" x 12.83" x 8.71" (393.5mm x 325.9mm x 221.3mm)			
Maximum Touchcomputer Dimensions Without Stand (W x H x D)	15.6" HD & Full HD: 15.2" x 9.8" x 2.89" (386.2mm x 248.9mm x 73.3mm) 22": 16.4" x 20.7" x 3.33" (416.4 mm x 525.9mm x 84.7mm) 15" (4:3): 14.16" x 11.17" x 3.07" (359.7mm x 283.7mm x 78.1mm) 17" (5:4): 15.49" x 12.83" x 3.28" (393.5mm x 325.9mm x 83.3mm)			
LCD Technology	Active matrix TFT LED LCD			
Diagonal Size	15.6" HD & Full HD: 15.55" (395mm) diagonal 22": 21.5" (546.1mm) diagonal 15" (4:3): 15.0" (381mm) diagonal 17" (5:4): 17.0" (432mm) diagonal			
Processor	Intel® Celeron® Processor J4105 (4M Cache, up to 2.5 GHz)	Intel® Core™ i3-8100T Processor (6M Smart Cache, 3.10 GHz)	Intel® Core™ i5-8500T Processor (9M Smart Cache, up to 3.50 GHz by Intel® Turbo Boost Technology 2.0) Intel® vPro Support	
Chipset	N/A	Intel H310 Express	Intel Q370 Express	
Video	Intel UHD Graphics 600	Intel UHD Graphics 630		
BIOS	AMI			
Memory (RAM)	4GB 2666MHz DDR4 SO-DIMM on 1 of 2 slots (Expandable to 8GB maximum ¹ on 2 slots) ³	4GB 2666MHz DDR4 SO-DIMM on 1 of 2 slots (Expandable to 32GB maximum ² on 2 slots) ³	8GB 2666MHz DDR4 SO-DIMM on 1 of 2 slots (Expandable to 32GB maximum ² on 2 slots) ³	



Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100
Milpitas, CA 95035
www.elotouch.com

SPECIFICATIONS

Touchcomputer

EloPOS Rev A

DOCUMENT: PS600353
REV: H
REV DATE: November 2,
2020
Page 3 of 8

	¹ Maximum memory using 2 slots. Expandable up to 8GB maximum, SO-DIMM DDR4-2400. ³ Check brand of the memory included in your unit before purchasing the memory kit.	² Maximum memory using 2 slots. Expandable up to 32GB maximum, SO-DIMM DDR4-2400. ³ Check brand of the memory included in your unit before purchasing the memory kit.
Storage	128GB M.2 SATA SSD ⁴ . 80 TBW Or 256GB M.2 SATA SSD ⁴ . 160 TBW Optional M.2 PCIe (NVMe) SSD for selected SKUs ⁴ GB equals one billion bytes when referring to storage capacity. Accessible capacity may be less.	
Mounting Options	15.6" HD & Full HD: 75mm VESA mount 22": 75mm or 100mm VESA mount 15" (4:3) SKUs: 75mm VESA mount 17" (5:4) SKUs: 75mm VESA mount	
Ethernet Port	1 x LAN RJ45 (Gigabit)	
Wireless LAN	802.11 a/b/g/n/ac 2.4GHz and 5GHz	
Bluetooth	BT 5.0	
USB Ports	3 x USB 3.0 (1 on display head, 2 on I/O) 2 x USB 2.0 on I/O 4 x Micro USB 2.0 on edges for optional Elo peripherals.	
RAID	N/A	
TPM	TPM 2.0	
AMT	N/A	Active Management Technology (Intel® AMT 11.0) Support.
Powered USB	1 x 24V on I/O 2 x 12V on I/O	
Serial Ports	2 x RJ45	
Cash Drawer Port	12V/24V Cash Drawer Port on I/O (EPSON Pinout, 24V default; selectable by internal switch)	
Additional Video Out	1 x Full-function USB-C (Power up to 27W, USB 3.0, Display Port)	
Audio Ports	1 x 3.5 mm headset jack	
Speakers	Two 2W internal speakers	
Operating System Options	No Operating System Microsoft Windows 10 IoT Enterprise LTSC 64-bit Optional - Microsoft Windows 10 Professional English 64-bit	
Languages	Windows 10 - 36 Language groups	
Native (optimal) Resolution	15.6" HD & Full HD: 1366 x 768 @ 60Hz or 1920 x 1080 @ 60Hz 22": 1920 x 1080 @ 60Hz 15" (4:3): 1024 x 768 @ 60Hz 17" (5:4): 1280 x 1024 @ 60Hz	
Control Buttons	Power Button	



Elo Touch Solutions, Inc.
 670 N. McCarthy Blvd., Suite 100
 Milpitas, CA 95035
 www.elotouch.com

SPECIFICATIONS

Touchcomputer

EloPOS Rev A

DOCUMENT: PS600353
 REV: H
 REV DATE: November 2,
 2020
 Page 4 of 8

Aspect Ratio	15.6" HD & Full HD: 16:9 (standard) 22": 16:9 (standard) 15" (4:3): 4:3 (standard) 17" (5:4): 5:4 (standard)
Number of Colors	15.6" HD & Full HD: 262,144 22": 16,7M 15" (4:3): 262,144 17" (5:4): 16,7M
Brightness (typical)	15.6" HD: LCD panel: 220 nits TouchPro PCAP: 187 nits 15.6" Full HD: LCD panel: 300 nits TouchPro PCAP: 255 nits 22": LCD panel: 250 nits TouchPro PCAP: 212.5 nits 15" (4:3): LCD panel: 400 nits TouchPro PCAP: 340 nits 17" (5:4): LCD panel: 250 nits TouchPro PCAP: 212.5 nits
Response Time Total (typical)	15.6" HD: 10 msec 15.6" Full HD: 25 msec 22": 14 msec 15" (4:3)SKUs: 23 msec 17" (5:4)SKUs: 5 msec
Viewing Angle (typical)	15.6" HD: Horizontal: 45°/45° or 90° total / Vertical: 15°/35° or 50° total 15.6" Full HD: Horizontal: 80°/80° or 160° total / Vertical: 80°/80° or 160° total 22": Horizontal: 89°/89° or 178° total / Vertical: 89°/89° or 178° total 15" (4:3)SKUs: Horizontal: 80°/80° or 160° total / Vertical: 80°/80° or 160° total 17" (5:4)SKUs: Horizontal: 85°/85° or 170° total / Vertical: 80°/80° or 160° total



Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100
Milpitas, CA 95035
www.elotouch.com

SPECIFICATIONS

Touchcomputer EloPOS Rev A

DOCUMENT: PS600353
REV: H
REV DATE: November 2,
2020
Page 5 of 8

Contrast Ratio (typical)	15.6" HD: 400:1 15.6" Full HD: 700:1 22": 1000:1 15" (4:3)SKUs: 800:1 17" (5:4)SKUs: 1000:1
Power Supply	External 24VDC universal-type power supply brick AC input voltage: 100-240 VAC Input frequency: 50-60 Hz Maximum output power: 180W
Max Power Consumption (without peripherals)	15.6" HD: 24W, E3: 65W, E5: 74W 15.6" Full HD: 26W, 15.6" H3: 67W, 15.6" H5: 76W 21.5": 31W, 21.5" H3: 72W, 21.5" H5: 81W 15" (4:3): 30W, 15" S3: 63W , 15" S5: 78W 17" S2: 31W, 17" S3: 63W, 17" S5: 76W
Energy Star Certified	Energy Star 7.1
Shipping Box Dimensions (W x H x D)	15.6" HD & Full HD: With Stand: 18.19" x 11.77" x 18.5" / 462mm x 299mm x 470mm Without Stand: 18.19" x 8.5" x 13.57" / 462mm x 216mm x 346mm 22": With Stand: 25.35" x 14.76" x 21.57" / 644mm x 375mm x 548mm Without Stand: 25.35" x 8.9" x 17.72" / 644mm x 226mm x 450mm 15" (4:3)SKUs: With Stand: 17.91" x 14.65" x 20.04" / 455mm x 372mm x 509mm Without Stand: 18.19" x 8.50" x 14.80" / 462mm x 216mm x 376mm 17" (5:4)SKUs: With Stand: 18.74" x 11.14" x 18.82" / 476 mm x 283 mm x 478mm Without Stand: 18.74" x 7.76" x 15.75" / 476 mm x 197 mm x 400mm
Weight	15.6" HD & Full HD: With Stand: 10.8 lbs / 4.9 kg Without Stand: 6.4 lbs / 2.9 kg 22": With Stand: 19.6 lbs / 8.9 kg Without Stand: 13.2 lbs / 6 kg 15" (4:3)SKUs: With Stand: 11.6 lbs / 5.3 kg Without Stand: 7.61lbs / 3.45kg 17" (5:4)SKUs: With Stand: 14.77 lbs / 6.7 kg Without Stand: 10.58 lbs / 4.8 kg



Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100
Milpitas, CA 95035
www.elotouch.com

SPECIFICATIONS

Touchcomputer

EloPOS Rev A

DOCUMENT: PS600353
REV: H
REV DATE: November 2,
2020
Page 6 of 8

Shipping Weight	15.6" HD & Full HD: With Stand: 16.1 lbs / 7.3 kg Without Stand: 10.8 lbs / 4.9 kg 22": With Stand: 26.2 lbs / 11.9 kg Without Stand: 18.5 lbs / 8.4 kg 15" (4:3)SKUs: With Stand: 18.1 lbs / 8.2 kg Without Stand: 11.02 lbs / 5kg 17" (5:4)SKUs: With Stand: 19.8lbs / 9.0kg Without Stand: 15lbs / 6.8kg
Temperature	Operating: 0°C to 35°C (32°F to 95°F) Storage: -20°C to 60°C (-4°F to 140°F)
Humidity (non-condensing)	Operating: 20% to 80% Storage: 5% to 95% (38.7°C max wet bulb temperature)
Regulatory approvals and declarations	UL/cUL , FCC, TUV, CE, CB, Mexico NOM, C-Tick/RCM, VCCI, Argentina S-Mark, CCC
Form Factor	Desktop
Real-Time Clock	Replaceable CR2032 lithium metal battery for clock
MTBF	50,000 hours demonstrated
Sealability	Touchscreen sealed to sub-bezel Touchscreen sealed to LCD
Power Cables	North American and European power cables included
Other Features	Serviceable internal components. Models with a stand for desktop application. Models without a stand for 75mm VESA mounting. Models without a stand for 75mm or 100mm VESA mounting (21.5" models only). Kensington lock.
Upgrade Options	4GB 2666 MHz DDR4 Memory SO-DIMM – Elo P/N: E264186 8GB 2666 MHz DDR4 Memory SO-DIMM – Elo P/N: E264375 16GB 2666 MHz DDR4 Memory SO-DIMM – Elo P/N: E263989 M.2 SATA 128GB SSD – Elo P/N: E206352 M.2 SATA 256GB SSD – Elo P/N: E206556
Accessories	



Elo Touch Solutions, Inc.
 670 N. McCarthy Blvd., Suite 100
 Milpitas, CA 95035
 www.elotouch.com

SPECIFICATIONS

Touchcomputer EloPOS Rev A

DOCUMENT: PS600353
 REV: H
 REV DATE: November 2,
 2020
 Page 7 of 8

Stand, Mounts & Kits	<ul style="list-style-type: none"> - EloPOS Rear Facing Display Mount Kit – Elo P/N: E835969 (Kit includes authorized E969524 Elo 2ft USB-C cable) - Shelf Mount Bracket – Elo P/N: E043382 - Floor Stand for 10/15/22" I-Series – Elo P/N: E048069 - Pole Mount – 6 inch – Elo P/N: E047458 - Pole Mount – 12 inch – Elo P/N: E047663 - Pole Mount – 18 inch – Elo P/N: E047864 - Pole Mount Bracket – Elo P/N: E045151
Optional Peripherals	<ul style="list-style-type: none"> - Biometric Fingerprint Reader (FPR) – Elo P/N: E001001 - Magnetic Stripe Reader (MSR) – Elo P/N: E001002 - Customer Display (2x20 VFD) – Elo P/N: E001003 - 2D Barcode Reader (BCR) – Elo P/N: E926356 - 10" LCD customer display (10 touch) – Elo P/N E155834 (requires display mount kit E835969) - 10" LCD customer display (no touch) – Elo P/N E324341 (requires display mount kit E835969) - ET1302L-2UWA-1-BL-NS-G – Elo P/N: E683595 (requires display mount kit E835969 which includes authorized Elo 2ft USB-C cable) - EMV Cradle for eDynamo – Elo P/N: E375343 - EMV Cradle for Ingenico RP457c (with BT and USB) – Elo P/N: E710930 - EMV Cradle for Ingenico RP457c (with Audio Jack, BT and USB) - Elo P/N: E586981 - 6ft Elo authorized USB-C cable – Elo P/N: E710364 - Elo Status Light Kit – Elo P/N: E466847 (System serial number needs to be C203033531 or later to be supported on Intel Celeron models; System serial number needs to be C203026849 or later to be supported on Intel i3/i5 models) Important: All current EPSxxEx SKUs do not support status light kit.
Warranty	<p>Three years (Extend two years with additional charge)</p> <p>4 year warranty coverage - Elo P/N: E819598 5 year warranty coverage - Elo P/N: E819795 3 year warranty coverage + AUR - Elo P/N: E820186 4 year warranty coverage + AUR - Elo P/N: E820388 5 year warranty coverage + AUR - Elo P/N: E820582</p>
What's in the box	<ul style="list-style-type: none"> - EloPOS Touchcomputer - North America Power Cord - EU Power Cord - Power Adapter – 180W - Cable RJ-45 to DB-9 - Cable cover locking screw - Quick Installation Guide (QIG)



Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100
Milpitas, CA 95035
www.elotouch.com

SPECIFICATIONS

Touchcomputer EloPOS Rev A

DOCUMENT: PS600353
REV: H
REV DATE: November 2,
2020
Page 8 of 8

Part Number(s) for EloPOS 15.6-inch HD AiO Touchscreen Computer

Part Number	Part Description	Processor	OS	Memory	Storage	Stand/No Stand
E440439	EPS15E2-2UWA-1-MT-4G-1S-NO-00-BK	J4105	None	4GB	128GB	Stand
E440234	EPS15E2-2UWA-1-MT-4G-1S-W1-64-BK	J4105	Window 10	4GB	128GB	Stand
E441010	EPS15E2-2UWA-1-MT-4G-1S-NO-00-BK-NS-EXP	J4105	None	4GB	128GB	No Stand
E440808	EPS15E2-2UWA-1-MT-4G-1S-W1-64-BK-NS-EXP	J4105	Window 10	4GB	128GB	No Stand
E441385	EPS15E3-2UWA-1-MT-4G-1S-NO-00-BK	i3-8100T	None	4GB	128GB	Stand
E441193	EPS15E3-2UWA-1-MT-4G-1S-W1-64-BK	i3-8100T	Window 10	4GB	128GB	Stand
E441781	EPS15E3-2UWA-1-MT-4G-1S-NO-00-BK-NS-EXP	i3-8100T	None	4GB	128GB	No Stand
E441575	EPS15E3-2UWA-1-MT-4G-1S-W1-64-BK-NS-EXP	i3-8100T	Window 10	4GB	128GB	No Stand
E262258	EPS15E3-2UWA-1-MT-8G-1S-W1-64-BK	i3-8100T	Window 10	8GB	128GB	Stand
E263402	EPS15E3-2UWA-1-MT-8G-1S-NO-00-BK-NS-EXP	i3-8100T	None	8GB	128GB	No Stand
E442161	EPS15E5-2UWA-1-MT-8G-1S-NO-00-BK	i5-8500T	None	8GB	128GB	Stand
E441968	EPS15E5-2UWA-1-MT-8G-1S-W1-64-BK	i5-8500T	Window 10	8GB	128GB	Stand
E442550	EPS15E5-2UWA-1-MT-8G-1S-NO-00-BK-NS-EXP	i5-8500T	None	8GB	128GB	No Stand
E442365	EPS15E5-2UWA-1-MT-8G-1S-W1-64-BK-NS-EXP	i5-8500T	Window 10	8GB	128GB	No Stand
E892954	EPS15E5-2UWA-1-MT-8G-2S-W1-64-BK-NS-EXP	i5-8500T	Window 10	8GB	256GB	No Stand
E877703	EPS15E5-2UWA-1-MT-6G-1S-W1-64-BK	i5-8500T	Window 10	16GB	128GB	Stand
E892761	EPS15E5-2UWA-1-MT-8G-2S-W1-64-BK	i5-8500T	Window 10	8GB	256GB	Stand

Part Number(s) for EloPOS 15.6-inch FHD AiO Touchscreen Computer

Part Number	Part Description	Processor	OS	Memory	Storage	Stand/No Stand
E935572	EPS15H2-2UWA-1-MT-4G-1S-NO-00-BK	J4105	None	4GB	128GB	Stand



Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100
Milpitas, CA 95035
www.elotouch.com

SPECIFICATIONS

Touchcomputer EloPOS Rev A

DOCUMENT: PS600353
REV: H
REV DATE: November 2,
2020
Page 9 of 8

E935367	EPS15H2-2UWA-1-MT-4G-1S-W1-64-BK	J4105	Window 10	4GB	128GB	Stand
E395937	EPS15H2-2UWA-1-MT-4G-1S-W1-64-BK-NS-EXP	J4105	Window 10	4GB	128GB	No Stand
E935967	EPS15H3-2UWA-1-MT-4G-1S-NO-00-BK	i3-8100T	None	4GB	128GB	Stand
E935775	EPS15H3-2UWA-1-MT-4G-1S-W1-64-BK	i3-8100T	Window 10	4GB	128GB	Stand
E407627	EPS15H3-2UWA-1-MT-4G-1S-NO-00-BK-NS-EXP	i3-8100T	None	4GB	128GB	No Stand
E396134	EPS15H3-2UWA-1-MT-4G-1S-W1-64-BK-NS-EXP	i3-8100T	Window 10	4GB	128GB	No Stand
E936365	EPS15H5-2UWA-1-MT-8G-1S-NO-00-BK	i5-8500T	None	8GB	128GB	Stand
E936163	EPS15H5-2UWA-1-MT-8G-1S-W1-64-BK	i5-8500T	Window 10	8GB	128GB	Stand
E936750	EPS15H5-2UWA-1-MT-8G-1S-NO-00-BK-NS-EXP	i5-8500T	None	8GB	128GB	No Stand
E936556	EPS15H5-2UWA-1-MT-8G-1S-W1-64-BK-NS-EXP	i5-8500T	Window 10	8GB	128GB	No Stand
E939305	EPS15H5-2UWA-1-MT-6G-2S-W1-64-BK	i5-8500T	Window 10	16GB	256GB	Stand
E939498	EPS15H5-2UWA-1-MT-6G-2S-W1-64-BK-NS-EXP	i5-8500T	Window 10	16GB	256GB	No Stand
E536624	EPS15H5-2UWA-1-MT-8G-2S-W1-64-BK	i5-8500T	Window 10	8GB	256GB	Stand

Part Number(s) for EloPOS 15-inch 4:3 AiO Touchscreen Computer

Part Number	Part Description	Processor	OS	Memory	Storage	Stand/No Stand
E931330	EPS15S2-2UWA-1-MT-4G-1S-NO-00-BK	J4105	None	4GB	128GB	Stand
E931524	EPS15S2-2UWA-1-MT-4G-1S-W1-64-BK	J4105	Window 10	4GB	128GB	Stand
E286726	EPS15S2-2UWA-1-MT-4G-1S-NO-00-WH	J4105	None	4GB	128GB	Stand
E263803	EPS15S2-2UWB-1-MT-4G-1S-W1-64-WH	J4105	Window 10	4GB	128GB	Stand
E590979	EPS15S2-2UWA-1-MT-4G-1S-NO-00-BK-NS-EXP	J4105	None	4GB	128GB	No Stand
E494164	EPS15S2-2UWA-1-MT-4G-1S-W1-64-BK-NS-EXP	J4105	Window 10	4GB	128GB	No Stand
E587032	EPS15S2-2UWA-1-MT-8G-1S-NO-00-BK-NS-EXP	J4105	None	8GB	128GB	No Stand



Elo Touch Solutions, Inc.
 670 N. McCarthy Blvd., Suite 100
 Milpitas, CA 95035
 www.elotouch.com

SPECIFICATIONS

Touchcomputer EloPOS Rev A

DOCUMENT: PS600353
 REV: H
 REV DATE: November 2,
 2020
 Page 10 of 8

E931706	EPS15S3-2UWA-1-MT-4G-1S-NO-00-BK	i3-8100T	None	4GB	128GB	Stand
E931896	EPS15S3-2UWA-1-MT-4G-1S-W1-64-BK	i3-8100T	Window 10	4GB	128GB	Stand
E590570	EPS15S3-2UWA-1-MT-4G-1S-NO-00-BK-NS-EXP	i3-8100T	None	4GB	128GB	No Stand
E494361	EPS15S3-2UWA-1-MT-4G-1S-W1-64-BK-NS-EXP	i3-8100T	Window 10	4GB	128GB	No Stand
E932090	EPS15S5-2UWA-1-MT-8G-1S-NO-00-BK	i5-8500T	None	8GB	128GB	Stand
E932274	EPS15S5-2UWA-1-MT-8G-1S-W1-64-BK	i5-8500T	Window 10	8GB	128GB	Stand
E407443	EPS15S5-2UWA-1-MT-8G-1S-W1-64-BK-NS-EXP	i5-8500T	Window 10	8GB	128GB	No Stand
E485078	EPS15S5-2UWA-1-MT-8G-1S-NO-00-BK-NS-EXP	i5-8500T	None	8GB	128GB	No Stand
E590763	EPS15S5-2UWA-1-MT-8G-2S-NO-00-BK-NS-EXP	i5-8500T	None	8GB	128GB	No Stand

Part Number(s) for EloPOS 17-inch 4:3 AiO Touchscreen Computer

Part Number	Part Description	Processor	OS	Memory	Storage	Stand/No Stand
E402183	EPS17S2-2UWA-1-MT-4G-1S-NO-00-BK	J4105	None	4GB	128GB	Stand
E401992	EPS17S2-2UWA-1-MT-4G-1S-W1-64-BK	J4105	Window 10	4GB	128GB	Stand
E485278	EPS17S2-2UWA-1-MT-4G-1S-NO-00-BK-NS-EXP	J4105	None	4GB	128GB	No Stand
E484096	EPS17S2-2UWA-1-MT-4G-1S-W1-64-BK-NS-EXP	J4105	Window 10	4GB	128GB	No Stand
E491271	EPS17S2-2UWA-1-MT-8G-1S-NO-00-BK-NS-EXP	J4105	None	8GB	128GB	No Stand
E402576	EPS17S3-2UWA-1-MT-4G-1S-NO-00-BK	i3-8100T	None	4GB	128GB	Stand
E402382	EPS17S3-2UWA-1-MT-4G-1S-W1-64-BK	i3-8100T	Window 10	4GB	128GB	Stand
E484495	EPS17S3-2UWA-1-MT-4G-1S-NO-00-BK-NS-EXP	i3-8100T	None	4GB	128GB	No Stand
E484291	EPS17S3-2UWA-1-MT-4G-1S-W1-64-BK-NS-EXP	i3-8100T	Window 10	4GB	128GB	No Stand
E491458	EPS17S3-2UWA-1-MT-8G-1S-NO-00-BK-NS-EXP	i3-8100T	None	8GB	128GB	No Stand



Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100
Milpitas, CA 95035
www.elotouch.com

SPECIFICATIONS

Touchcomputer EloPOS Rev A

DOCUMENT: PS600353
REV: H
REV DATE: November 2,
2020
Page 11 of 8

E402963	EPS17S5-2UWB-1-MT-8G-1S-NO-00-BK	i5-8500T	None	8GB	128GB	Stand
E402781	EPS17S5-2UWA-1-MT-8G-1S-W1-64-BK	i5-8500T	Window 10	8GB	128GB	Stand
E484700	EPS17S5-2UWA-1-MT-8G-1S-NO-00-BK-NS-EXP	i5-8500T	None	8GB	128GB	No Stand
E484896	EPS17S5-2UWA-1-MT-8G-1S-W1-64-BK-NS-EXP	i5-8500T	Window 10	8GB	128GB	No Stand

Part Number(s) for EloPOS 21.5-inch FHD AiO Touchscreen Computer

Part Number	Part Description	Processor	OS	Memory	Storage	Stand/No Stand
E937154	EPS22H2-2UWA-1-MT-4G-1S-NO-00-BK	J4105	None	4GB	128GB	Stand
E936953	EPS22H2-2UWA-1-MT-4G-1S-W1-64-BK	J4105	Window 10	4GB	128GB	Stand
E413988	EPS22H2-2UWA-1-MT-4G-1S-NO-00-BK-NS-EXP	J4105	None	4GB	128GB	No Stand
E414192	EPS22H2-2UWA-1-MT-4G-1S-W1-64-BK-NS-EXP	J4105	Window 10	4GB	128GB	No Stand
E511988	EPS22H2-2UWA-1-MT-8G-1S-NO-00-BK-NS-EXP	J4105	None	8GB	128GB	No Stand
E937523	EPS22H3-2UWA-1-MT-4G-1S-NO-00-BK	i3-8100T	None	4GB	128GB	Stand
E937340	EPS22H3-2UWA-1-MT-4G-1S-W1-64-BK	i3-8100T	Window 10	4GB	128GB	Stand
E410884	EPS22H3-2UWA-1-MT-8G-1S-W1-64-BK	i3-8100T	Window 10	8GB	128GB	Stand
E375459	EPS22H3-2UWA-1-MT-4G-1S-NO-00-BK-NS-EXP	i3-8100T	None	4GB	128GB	No Stand
E397507	EPS22H3-2UWA-1-MT-4G-1S-W1-64-BK-NS-EXP	i3-8100T	Window 10	4GB	128GB	No Stand
E511785	EPS22H3-2UWA-1-MT-8G-1S-NO-00-BK-NS-EXP	i3-8100T	None	8GB	128GB	No Stand
E937919	EPS22H5-2UWA-1-MT-8G-1S-NO-00-BK	i5-8500T	None	8GB	128GB	Stand
E937720	EPS22H5-2UWA-1-MT-8G-1S-W1-64-BK	i5-8500T	Window 10	8GB	128GB	Stand
E560404	EPS22H5-2UWA-1-MT-8G-2S-W1-64-BK	i5-8500T	Window 10	8GB	128GB	Stand
E417915	EPS22H5-2UWA-1-MT-6G-2S-W1-64-BK	i5-8500T	Window 10	16GB	128GB	Stand
E938297	EPS22H5-2UWA-1-MT-8G-1S-	i5-8500T	None	8GB	128GB	No Stand



Elo Touch Solutions, Inc.
 670 N. McCarthy Blvd., Suite 100
 Milpitas, CA 95035
 www.elotouch.com

SPECIFICATIONS

Touchcomputer

EloPOS Rev A

DOCUMENT: PS600353
 REV: H
 REV DATE: November 2,
 2020
 Page 12 of 8

	NO-00-BK-NS-EXP					
E938113	EPS22H5-2UWA-1-MT-8G-1S- W1-64-BK-NS-EXP	i5-8500T	Window 10	8GB	128GB	No Stand

Documentation List

Document Number	Description
MS602246	DIMENSIONAL DRAWING, EloPOS
QIG600049	QIG, EloPOS
UM600232	USER GUIDE, EloPOS
UM600233	USER GUIDE, EloPOS EU SPANISH
UM600234	USER GUIDE, EloPOS LA SPANISH
UM600235	USER GUIDE, EloPOS FRENCH
UM600236	USER GUIDE, EloPOS ITALIAN
UM600237	USER GUIDE, EloPOS GERMAN
UM600238	USER GUIDE, EloPOS RUSSIAN
UM600239	USER GUIDE, EloPOS JAPANESE
UM600240	USER GUIDE, EloPOS SIM CHINESE
MD600091	DECLARATIONS OF CONFORMITY, EloPOS

MTBF (Mean Time Between Failures) An MTBF measurement is based on a statistical sample and is not intended to predict any one specific unit's reliability; thus MTBF is not, and should not be construed as, a warranty measurement.



Elo Touch Solutions, Inc.
670 N. McCarthy Blvd., Suite 100
Milpitas, CA 95035
www.elotouch.com

SPECIFICATIONS

Touchcomputer

EloPOS Rev A

DOCUMENT: PS600353
REV: H
REV DATE: November 2,
2020
Page 13 of 8

Elo Touch Solutions, Inc. its Affiliates (collectively "Elo") reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products.

Elo (logo), Elo Touch Solutions, Elo TouchSystems are trademarks