ēlo

SPECIFICATIONS

Product Specification, DS10 Docking Station PRODUCT: DS10 Docking Station DOCUMENT: PS600456 REV: 2 REV DATE: Nov 6,2020 PAGE NO.: 1 OF 3

670 N. McCarthy Blvd Milpitas, CA 95035 Phone: 1-800-ELO-TOUCH (356-8682) www.elotouch.com

REVISION HISTORY:

| REV: | DATE: | ORIGINATOR: | DESCRIPTION |
|-------|------------|------------------------|---|
| Draft | 11/6/2020 | Hector Amores | Draft |
| 1 | 11/6/2020 | Cameron Cole | Update |
| 2 | 11/12/2020 | Angela Huang / Bill Yu | Update regulatory approvals |
| 2.1 | 11/13/2020 | Josh Zhang | Remove product dim with M50 Update mounting options Need doc table filled out |

ēlo

SPECIFICATIONS

Product Specification, DS10 Docking Station PRODUCT: DS10 Docking Station DOCUMENT: PS600456 REV: 2 REV DATE: Nov 6,2020 PAGE NO.: 2 OF 3

670 N. McCarthy Blvd Milpitas, CA 95035 Phone: 1-800-ELO-TOUCH (356-8682) www.elotouch.com

| Part Number | E864066 |
|---------------------------------------|---|
| Description | DS10 Docking Station |
| Color | Black |
| Compatibility | M50 Handheld Computer |
| Shipping Dimensions | 175mmx 140mm x 118mm 6.89in x 5.51in x 4.65in |
| Weight | Unpackaged: 1.2 lb. (0.55 kg) Packaged: 4.0 lb. (1.8 kg) |
| Product Dimensions | 69mm x 131.6mm x 94mm 2.71mm x 5.18in x 3.7in |
| Mounting Options | Countertop (Refer to QIG for more details) |
| Available I/O Ports | USB-C |
| Temperature | Operating: 0° C to 40° C (32° F to 104° F) Storage: -20° C to 50° C (-4° F to 122° F) |
| Humidity (non-condensing) | Operating: 20% - 80% Storage: 10% - 95% |
| Regulatory approvals and declarations | UL, FCC (US) - Class B cUL, IC (Canada) CB (International safety) CE (Europe) - Class B VCCI (Japan) RCM (Australia) China RoHS |
| Warranty | 1 year |
| Accessories included | 2x M4 screws for mounting 1x tie wrap for cable management QIG |

| Document Number | Description |
|-----------------|--------------------------|
| MSxxxxx | DIMENSIONAL DRAWING, TBD |
| UMxxxxxx | USER MANUAL, TBD |
| QIGxxxxxx | QIG, TBD |

Copyright © 2016 Elo Touch Solutions, Inc. All Rights Reserved.

No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language, in any form or by any means, including, but not limited to, electronic, magnetic, optical, chemical, manual, or otherwise without prior written permission of Elo Touch Solutions, Inc.

Disclaimer

The information in this document is subject to change without notice. Elo Touch Solutions, Inc. and its affiliates (collectively "Elo") makes no representations or warranties with respect to the contents herein, and specifically disclaims any implied warranties of merchantability or fitness for a particular purpose. Elo reserves the right to revise this publication and to make changes from time to time in the content hereof without obligation of Elo to notify any person of such revisions or changes.



SPECIFICATIONS

Product Specification, DS10 Docking Station PRODUCT: DS10 Docking Station DOCUMENT: PS600456 REV: 2 REV DATE: Nov 6,2020 PAGE NO.: 3 OF 3

670 N. McCarthy Blvd Milpitas, CA 95035 Phone: 1-800-ELO-TOUCH (356-8682) www.elotouch.com

Trademark Acknowledgments

AccuTouch, CarrollTouch, Elo (logo), Elo Touch Solutions, Elo TouchSystems, IntelliTouch, iTouch are trademarks of Elo and its Affiliates. Windows is a trademark of Microsoft Corporation.