

670 N. McCarthy Blvd.  
Milpitas, CA 95035  
www.elotouch.com

**SPECIFICATIONS**  
Touchcomputer  
**PRODUCT SPECIFICATIONS,**  
PayPoint for Android 3.0

DOCUMENT: PS600xxx  
REV: B  
DATE: November 12, 2018  
Page 1 of 5

**REVISION HISTORY:**

REV:	DATE:	ORIGINATOR:	DESCRIPTION
A	11/7/2018	Cameron Cole	Initial release per CO-18-xxxx

670 N. McCarthy Blvd.  
Milpitas, CA 95035  
www.elotouch.com

**SPECIFICATIONS**  
Touchcomputer  
**PRODUCT SPECIFICATIONS,**  
PayPoint for Android 3.0

DOCUMENT: PS600xxx  
REV: B  
DATE: November 12, 2018  
Page 2 of 5

**PayPoint Android Specifications:**

<b>Model</b>	<b>PayPoint for Android</b>
<b>Processor</b>	Qualcomm Snapdragon 2.0GHz Octo-Core Processor
<b>Operating System Options</b>	Android™ 8.1 Oreo™ with EloView device management and content deployment platform
<b>Memory (RAM)</b>	3GB
<b>Hard Disk Drive</b>	32GB SSD <sup>2</sup> GB equals one billion bytes when referring to storage capacity. Accessible capacity may be less
<b>I/O Ports</b>	1 x USB 2.0 1 x mini USB 2.0
<b>Ethernet Port</b>	1 x LAN (Gigabit)
<b>Wireless</b>	802.11b/g/n/ac + Bluetooth 4.1

# SPECIFICATIONS

## Touchcomputer

### PRODUCT SPECIFICATIONS,

### PayPoint for Android 3.0

<b>Integrated Peripherals</b>	<p><b>For E463541 and E463738:</b>          4 bill, 5 coin built in cash drawer</p> <ul style="list-style-type: none"> <li>• Removable coin slot insert</li> <li>• Slot for checks</li> </ul> <p><b>For E464141 and E463943:</b>          5 bill, 6 coin built in cash drawer</p> <ul style="list-style-type: none"> <li>• Removable bill and coin insert</li> <li>• Slot for checks</li> </ul> <p><b>1D Barcode Scanner</b></p> <p><b>MSR:</b></p> <ul style="list-style-type: none"> <li>- Magtek 3 track encryptable</li> <li>- Default security level 2</li> </ul> <p><b>Printer:</b></p> <ul style="list-style-type: none"> <li>- Thermal receipt printer</li> <li>- 80mm/sec</li> <li>- 2" (58mm) receipt printer</li> <li>- Maximum paper roll diameter 50mm</li> </ul> <p><b>Customer Display:</b></p> <ul style="list-style-type: none"> <li>- 2x16 character display</li> </ul>
<b>Speakers</b>	1x 1W internal speaker
<b>Display</b>	13.3" LCD
<b>Aspect Ratio</b>	16:9 (standard)
<b><u>Active Display Area</u></b>	293mm x 165mm (11.53" x 6.49")
<b>Native (optimal) Resolution</b>	1920 x 1080 @ 60Hz
<b>Brightness (typical)</b>	LCD panel: 350 nits w/ PCAP Screen: 300 nits
<b>Response Time (Tr + Tf) (typical)</b>	30 msec
<b>Viewing Angle (typical)</b>	Horizontal: ± 85° or 170° total Vertical: ± 85° or 170° total

670 N. McCarthy Blvd.  
 Milpitas, CA 95035  
 www.elotouch.com

# SPECIFICATIONS

## Touchcomputer

### PRODUCT SPECIFICATIONS, PayPoint for Android 3.0

DOCUMENT: PS600xxx  
 REV: B  
 DATE: November 12, 2018  
 Page 4 of 5

<b>Contrast Ratio (typical)</b>	<b>800:1</b>
<b>Available Touch Technologies</b>	<b>Touch Pro (PCap) Pro-G 5 touch</b>
<b>Power</b>	<b>AC input voltage: 100-240 VAC Input frequency: 50-60 Hz</b>
<b>Max Power Consumption</b>	<b>56W</b>
<b>Maximum Touchcomputer Dimensions</b>	<b>13.6" x 11.3" x 8.4" (345mm x 288mm x 212mm)</b>
<b>Shipping Box Dimensions (W x H x D)</b>	<b>17.7" x 18.7" x 13.4" (450mm x 475mm x 340mm)</b>
<b>Weight</b>	<b>13.85lbs (6.28kg)</b>
<b>Shipping Weight</b>	<b>19.25lbs (8.73kg)</b>
<b>Temperature</b>	<b>Operating: 0°C to 35°C (32°F to 95°F) Storage: -20°C to 60°C (-4°F to 140°F)</b>
<b>Humidity (non-condensing)</b>	<b>Operating: 20% to 80% Storage: 5% to 95%</b>
<b>Regulatory approvals and declarations</b>	<b>UL/cUL FCC CE CB CCC SRRC</b>
<b>Mounting Options</b>	<b>Ability to secure base to tabletop</b>
<b>Enclosure Color</b>	<b>White with metallic accents Black with metallic accents (made to order with minimum order quantity of 200 units)</b>
<b>Real-Time Clock</b>	<b>Replaceable lithium coin cell battery for clock</b>
<b>Sealing</b>	<b>Touchscreen sealed to LCD</b>
<b>Power Cables</b>	<b>Power cable depends on region of sale Internal Power Supply</b>
<b>What's in the Box</b>	<ul style="list-style-type: none"> <li>- Power Cable</li> <li>- 2 receipt paper rolls</li> <li>- Cash drawer keys</li> <li>- Quick Install Guide</li> </ul>

670 N. McCarthy Blvd.  
 Milpitas, CA 95035  
 www.elotouch.com

# SPECIFICATIONS

## Touchcomputer

### PRODUCT SPECIFICATIONS, PayPoint for Android 3.0

DOCUMENT: PS600xxx  
 REV: B  
 DATE: November 12, 2018  
 Page 5 of 5

<b>Optional Peripherals</b>	<ul style="list-style-type: none"> <li>- <b>NFC kit</b> <ul style="list-style-type: none"> <li>o <b>Elo Part Number: E149962</b></li> </ul> </li> <li>- <b>Cash Drawer Kit</b> <ul style="list-style-type: none"> <li>o <b>For 4 bill, 5 coin: E332393</b></li> <li>o <b>For 5 bill, 6 coin: E332197</b></li> </ul> </li> </ul>
<b>Warranty</b>	<p><b>3 years</b>  <b>Optional Extended Warranty:</b></p> <ul style="list-style-type: none"> <li>o 1 year Advance Exchange - Elo P/N: E258849</li> <li>o 3 year Advance Exchange - Elo P/N: E259038</li> </ul>

Part Numbers:

<b>Elo P/N</b>	<b>Elo Description</b>	<b>Elo UPC Code</b>	<b>Notes</b>
E463541	ESY13P1-2UNB-0-AO-WH	843173106724	United States, White
E463738	ESY13P1-2UNB-0-AO-BK	843173106731	United States, Black
E464141	ESY13P1-2UWB-0-AO-BK	843173106748	Canada/Japan, Black
E463943	ESY13P1-2UWB-0-AO-WH	843173106755	Canada/Japan, White

Elo Touch Solutions, Inc. its Affiliates (collectively "Elo") reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products.

Elo (logo), Elo Touch Solutions, Elo TouchSystems are trademarks.

Copyright 2012 Elo Touch Solutions, Inc. All rights reserved.